

Installation Guide



Feather Flag - Rectangular 2.1m (Small) - 3m (Medium) - 4.1m (Large)

Feather Flag Dimensions

Profile View



Compatible Base Options

		Print Size		Base Options					
Size	Height (mm)	Width (mm)	Height (mm)	Cross Base* (Weighted)	Concrete Base* (10kg - Stackable)	Water Fillable (15kg)	Water Fillable (25kg)	Ground Spike	Car Foot
S	2100	770	1760	~	~	✓	√	1	✓
м	3000	770	2550	~	~	✓	✓	1	✓
L	4100	770	3350	×	×	×	√	1	×


*Stacking two would allow compatibility for large.


		Print	Size	Base Options		
Size	Height (mm)	Width (mm)	Height (mm)	Concrete Base (22kg)	Cross Base (Water Bag)	
S	2100	770	1760	~	~	
М	3000	770	2550	✓	~	
L	4100	770	3350	✓	×	


Parts Checklist

- A 1 x Pole Kit Carry Bag
- B1 1 x Pole Kit & Bungee (Located in Front Pocket) (S) Or
- B2 1 x Pole Kit & Bungee (Located in Front Pocket) (M) Or
- B3 1 x Pole Kit & Bungee (Located in Front Pocket) (L)










Step 1

Assemble the pole in size order, large to small. This example shows assembly for the medium pole. Insert pole **B** into pole **C**.



Step 2

Before attaching the top section **(A)**, slide the flag onto the assemble sections. Ensure the eyelet is to the base of the pole.

Step 3

Thread the top section **(A)** through the top sleeve and attach to the upright pole to secure.

Step 4

Thread the bungee through the eyelet on the base of the flag. Create a loop and thread the rest of the bungee cord through. Attach the bungee cord to the plastic retaining collar and adjust the tension if necessary (to avoid rippling, do not over tension the flag)



